

# Door Lock Handles



## DOOR LOCK HANDLE-(Aluminium Alloy Series)

**NO.:L52-035**  
 Material: Aluminum alloy  
 Door Thickness: 38-55mm

**NO.:L52-065**  
 Material: Aluminum alloy  
 Door Thickness: 38-55mm

**NO.:L52-005**  
 Material: Aluminum alloy  
 Door Thickness: 38-55mm

**NO.:L52-068**  
 Material: Aluminum alloy  
 Door Thickness: 38-55mm

**NO.:L52-067**  
 Material: Aluminum alloy  
 Door Thickness: 38-55mm

**NO.:L52-069**  
 Material: Aluminum alloy  
 Door Thickness: 38-55mm

**NO.:L52-066**  
 Material: Aluminum alloy  
 Door Thickness: 38-55mm

**NO.:L52-059**  
 Material: Aluminum alloy  
 Door Thickness: 38-55mm

**NO.:L52-056**  
 Material: Aluminum alloy  
 Door Thickness: 38-55mm


**DOOR LOCK HANDLE-(Aluminium Alloy Series)**



**NO.:L52-070**

Material: Aluminum alloy


Door Thickness: 38-55mm



**NO.:L52-090**

Material: Aluminum alloy


Door Thickness: 38-55mm



**NO.:L52-060**

Material: Aluminum alloy

Door Thickness: 38-55mm




**DOOR LOCK HANDLE-(Aluminium Alloy Series)**



**NO.:L52-063**

Material: Aluminum alloy


Door Thickness: 38-55mm



**NO.:L52-087**

Material: Aluminum alloy


Door Thickness: 38-55mm



**NO.:L52-089**

Material: Aluminum alloy


Door Thickness: 38-55mm



**NO.:L52-017**

Material: Aluminum alloy



Door Thickness: 38-55mm



**NO.:L52-055**

Material: Aluminum alloy



Door Thickness: 38-55mm



**NO.:L52-086**

Material: Aluminum alloy


Door Thickness: 38-55mm



**NO.:L52-071**

Material: Aluminum alloy


Door Thickness: 38-55mm



**NO.:L52-058**

Material: Aluminum alloy


Door Thickness: 38-55mm



**NO.:L52-031**

Material: Aluminum alloy


Door Thickness: 38-55mm



**NO.:L52-029**

Material: Aluminum alloy


Door Thickness: 38-55mm



**NO.:L52-011**

Material: Aluminum alloy



Door Thickness: 38-55mm



**NO.:L52-033**

Material: Aluminum alloy


Door Thickness: 38-55mm



**NO.:L52-049**

Material: Aluminum alloy



Door Thickness: 38-55mm



**NO.:L52-012**

Material: Aluminum alloy


Door Thickness: 38-55mm



**NO.:L52-013**

Material: Aluminum alloy


Door Thickness: 38-55mm



**NO.:L52-015**

Material: Aluminum alloy


Door Thickness: 38-55mm




**NO.:L52-016**




Material: Aluminum alloy


Door Thickness: 38-55mm







**DOOR LOCK HANDLE-(Aluminium Alloy Series)**






 NBL    
  IP    
  BL  
**NO.:L62-059**  
 Material: Aluminum alloy  
 Door Thickness: 38-55mm  
 Technical drawing showing dimensions: 135mm length, 58mm height, 52mm width.






 CF    
  IP    
  BL  
**NO.:L62-025**  
 Material: Aluminum alloy  
 Door Thickness: 38-55mm  
 Technical drawing showing dimensions: 130mm length, 58mm height, 52mm width.







 NBL    
  IP    
  BL  
**NO.:L62-088**  
 Material: Aluminum alloy  
 Door Thickness: 38-55mm  
 Technical drawing showing dimensions: 130mm length, 58mm height, 52mm width.


**DOOR LOCK HANDLE-(Aluminium Alloy Series)**







 AB    
  CF  
**NO.:LH32-072**  
 Material: Aluminum alloy  
 Door Thickness: 38-55mm  
 Technical drawing showing dimensions: 130mm length, 58mm height, 52mm width.







 NBL    
  IP    
  BL  
**NO.:L62-087**  
 Material: Aluminum alloy  
 Door Thickness: 38-55mm  
 Technical drawing showing dimensions: 135mm length, 58mm height, 52mm width.







 NBL    
  IP    
  BL  
**NO.:L62-089**  
 Material: Aluminum alloy  
 Door Thickness: 38-55mm  
 Technical drawing showing dimensions: 133mm length, 58mm height, 52mm width.







 CF    
  IP    
  BL  
**NO.:L62-030**  
 Material: Aluminum alloy  
 Door Thickness: 38-55mm  
 Technical drawing showing dimensions: 132mm length, 58mm height, 52mm width.







 CF    
  IP    
  BL  
**NO.:L62-019**  
 Material: Aluminum alloy  
 Door Thickness: 38-55mm  
 Technical drawing showing dimensions: 132mm length, 58mm height, 52mm width.







 NBL    
  IP    
  BL  
**NO.:L62-086**  
 Material: Aluminum alloy  
 Door Thickness: 38-55mm  
 Technical drawing showing dimensions: 134mm length, 58mm height, 52mm width.






 NBL    
  IP    
  BL  
**NO.:L62-071**  
 Material: Aluminum alloy  
 Door Thickness: 38-55mm  
 Technical drawing showing dimensions: 133mm length, 58mm height, 52mm width.







 NBL    
  IP    
  BL  
**NO.:L52-036**  
 Material: Aluminum alloy  
 Door Thickness: 38-55mm  
 Technical drawing showing dimensions: 150mm length, 58mm height, 52mm width.







 BL    
  BY  
**NO.:L203**  
 Material: Aluminium alloy  
 Door Thickness: 38-55mm  
 Technical drawing showing dimensions: 140mm length, 55mm height, 52mm width.






 CF    
  IP    
  BL  
**NO.:L62-013**  
 Material: Aluminum alloy  
 Door Thickness: 38-55mm  
 Technical drawing showing dimensions: 135mm length, 58mm height, 52mm width.






 CF    
  IP    
  BL  
**NO.:L62-027**  
 Material: Aluminum alloy  
 Door Thickness: 38-55mm  
 Technical drawing showing dimensions: 132mm length, 58mm height, 52mm width.







 BL    
  BY  
**NO.:L204**  
 Material: Aluminium alloy  
 Door Thickness: 38-55mm  
 Technical drawing showing dimensions: 128mm length, 55mm height, 52mm width.






 BL    
  BY  
**NO.:L205**  
 Material: Aluminium alloy  
 Door Thickness: 38-55mm  
 Technical drawing showing dimensions: 130mm length, 55mm height, 52mm width.





 NBL    
  IP    
  BL  
**NO.:L62-011**  
 Material: Aluminum alloy  
 Door Thickness: 38-55mm  
 Technical drawing showing dimensions: 130mm length, 58mm height, 52mm width.



 BL    
  IP  
**NO.:L62-028**  
 Material: Aluminum alloy  
 Door Thickness: 38-55mm  
 Technical drawing showing dimensions: 132mm length, 58mm height, 52mm width.




 BL    
  BY  
**NO.:500-L204**  
 Material: Aluminium alloy  
 Door Thickness: 38-55mm  
 Technical drawing showing dimensions: 45mm length, 185mm height, 52mm width.



 BL    
  BY  
**NO.:501-L201**  
 Material: Aluminium alloy  
 Door Thickness: 38-55mm  
 The left and right sides  
 Technical drawing showing dimensions: 45mm length, 185mm height, 52mm width.


**DOOR LOCK HANDLE-(Aluminium Alloy Series)**



BL BY

**NO.:L28-004**


Material: Aluminium alloy  
Door Thickness: 38-55mm



BL BY

**NO.:L28-005**


Material: Aluminium alloy  
Door Thickness: 38-55mm



BL BY

**NO.:L28-007**


Material: Aluminium alloy  
Door Thickness: 38-55mm



BL BY

**NO.:L28-006**


Material: Aluminium alloy  
Door Thickness: 38-55mm



BL BY

**NO.:L28-012**


Material: Aluminium alloy  
Door Thickness: 38-55mm



BL BY

**NO.:L32-005**



Material: Aluminium alloy  
Door Thickness: 38-55mm



BL BY

**NO.:L201**


Material: Aluminium alloy  
Door Thickness: 38-55mm

BL BY

**NO.:L5801-008**


Material: Aluminium alloy  
Door Thickness: 38-55mm



BL BY

**NO.:L5802-012**


Material: Aluminium alloy  
Door Thickness: 38-55mm




NBL IP BL

**NO.:L5801A-089**

Material: Aluminum alloy  
Door Thickness: 38-55mm




**DOOR LOCK HANDLE-(Aluminium Alloy Series)**



NBL IP BL

**NO.:L5801A-088**


Material: Aluminum alloy  
Door Thickness: 38-55mm




NBL IP BL

**NO.:L5801A-035**



Material: Aluminum alloy  
Door Thickness: 38-55mm

CF IP BL

**NO.:L5801A-013**



Material: Aluminum alloy  
Door Thickness: 38-55mm

CF IP BL

**NO.:L5801A-049**



Material: Aluminum alloy  
Door Thickness: 38-55mm

AB IP BL

**NO.:L5801A-032**



Material: Aluminum alloy  
Door Thickness: 38-55mm

NBL IP BL

**NO.:L5801A-031**



Material: Aluminum alloy  
Door Thickness: 38-55mm

NBL IP BL

**NO.:L5801A-016**



Material: Aluminum alloy  
Door Thickness: 38-55mm

CF NBL IP

**NO.:L5801A-055**



Material: Aluminum alloy  
Door Thickness: 38-55mm

NBL IP BL

**NO.:L5801A-059**


Material: Aluminum alloy  
Door Thickness: 38-55mm


NBL IP BL

**NO.:L5801A-027**

Material: Aluminum alloy  
Door Thickness: 38-55mm



**DOOR LOCK HANDLE-(Aluminium Alloy Series)**




**NO.:L5801A-005**  
 Material: Aluminum alloy  
 Door Thickness: 38-55mm




**NO.:L5801A-030**  
 Material: Aluminum alloy  
 Door Thickness: 38-55mm




**NO.:L5801A-033**  
 Material: Aluminum alloy  
 Door Thickness: 38-55mm




**NO.:L5801A-071**  
 Material: Aluminum alloy  
 Door Thickness: 38-55mm




**NO.:L5801A-086**  
 Material: Aluminum alloy  
 Door Thickness: 38-55mm



**NO.:L58-027**  
 Material: Aluminum alloy  
 Door Thickness: 38-55mm




**NO.:L58-028**  
 Material: Aluminum alloy  
 Door Thickness: 38-55mm




**NO.:L58-027**  
 Material: Aluminum alloy  
 Door Thickness: 38-55mm


**DOOR LOCK BODY**




**4 DOOR LOCK BODY**




**NO.:7255**  
 BS IP MBL  
 thickness of door:38-55mm




**NO.:7250**  
 BS CF  
 thickness of door:38-55mm




**NO.:7255** Magnetic TWO Tongues  
 BS MBL  
 thickness of door:38-55mm




**NO.:7255** Magnetic One Tongue  
 BS  
 thickness of door:38-55mm




**NO.:5853** Magnetic One Tongue  
 BS



**NO.:5845**  
 BS  
 thickness of door:38-55mm



















**NO.:5045** Magnetic One Tongue  
 BS




**NO.:5045** Magnetic TWO Tongues  
 BS


DOOR LOCK BODY




DOOR LOCK BODY




**NO.:7250** Anti-Insertion Silent Style




**NO.:7250**




**NO.:8545** Magnetic TWO Tongues




**NO.:8545-1**




**NO.:7250** Fireproof Style




**NO.:7255** Magnetic One Tongue




**NO.:8545-2**




**NO.:8545-3**




**NO.:7255** Magnetic TWO Tongues




**NO.:7255** Europe Silent Style




**NO.:8550** Anti-Insertion Silent Brass Style




**NO.:8550**




**NO.:7255** Anti-Insertion Silent Style




**NO.:7255** Fireproof Style




**NO.:4225** PVC steel Passage Style




**NO.:4230** PVC steel Passage Style




**NO.:7255**




**NO.:7260** Fireproof Style



**NO.:4235** PVC steel Passage Style




**NO.:7025** PVC steel Passage Style



**NO.:7030** PVC steel Passage Style




**NO.:7035** PVC steel Passage Style




**NO.:8520** Passage Style




**NO.:8530** Passage Style




**NO.:8535** Passage Style




**NO.:8550** Magnetic Style



**NO.:8553** Magnetic Style



**NO.:60**



**NO.:60**



**NO.:5745**


Stainless Steel




# 5 / DOOR LOCK CYLINDER



**NO.:Brass/Aluminium Coat Brass Core Cylinder**  
Size: 50mm 60mm 70mm 80mm 90mm




**NO.:Brass Cylinder**  
Size: 50mm 60mm 70mm 80mm 90mm




**NO.:Zinc Coat Brass Core**  
Size: 50mm 60mm 70mm 80mm 90mm



**NO.:Aluminium Coat Brass Core**  
Size: 50mm 60mm 70mm 80mm 90mm



**NO.:6inch H Type Hydraulic Door Hinge**  
Material: Aluminium alloy



**NO.:5inch E Type Hydraulic Door Hinge**  
Material: Aluminium alloy




**NO.:3D Adjustable Door Hinge( Left or Right)**  
Material: zinc alloy



**NO.:6inch Flag Type Hydraulic Door Hinge( Left or Right)**  
Material: Aluminium alloy






SS CF AB IP BL NBL

**NO.:5inch** Butt Door Hinge  
Material: Stainless steel

Technical drawing showing dimensions: 127, 59, 24, 79, 3, 7.5, 101, 26.5, 14.



SS CF AB IP BL NBL

**NO.:4inch** Butt Door Hinge  
Material: Stainless steel

Technical drawing showing dimensions: 107, 59, 24, 79, 3, 7.5, 101, 26.5, 14.



SS CF AB IP BL NBL

**NO.:5inch** Flat Door Hinge  
Material: Stainless steel


Technical drawing showing dimensions: 145, 76, 30, 76, 3, 7.5, 127, 6.5, 14.



SS CF AB IP LG NBL

**NO.:4inch** Flat Door Hinge  
Material: Stainless steel

Technical drawing showing dimensions: 120, 76, 30, 76, 3, 7.5, 101, 6.5, 14.



Gold SY BL AB


**NO.:Concealed Door Hinge**  
Material: aluminium



NBL BCF IP BL

**NO.:5inch Door Hinge**  
Material: brass

Technical drawing showing dimensions: 145, 76, 30, 76, 3, 7.5, 127, 6.5, 14.



NBL BCF IP BL

**NO.:4inch Door Hinge**  
Material: brass

Technical drawing showing dimensions: 120, 76, 30, 76, 3, 7.5, 101, 6.5, 14.




**NO.:LHX950**  
Material: zinc alloy  
Color: BL/SS  
Max.:20kg

Technical drawing showing dimensions: 137, 155, 10, 11.7, 21.



**NO.:LHX951**  
Material: zinc alloy  
Color: BL/SS/LG  
Max.:40kg

Technical drawing showing dimensions: 138, 160, 10, 17.5, 28.

**NO.:LHX952-G**  
Material: zinc alloy  
Color: LG/BL/ IV/CG  
Max.:30kg

Technical drawing showing dimensions: 12.32, 81.2, 21.2, 30, 30, 113.



CP IP MBL

**No.:952-L** 3D Adjustable Concealed Door Hinges  
Material: zinc alloy  
Max.:30kg



PVD AB CF

**No.:952-L** 3D Adjustable Concealed Door Hinges  
Material: zinc alloy  
Max.:30kg

**DOOR HARDWARE ACCESSORIES**

BL WH

**NO.:LML915**  
Material: Aluminium alloy

SS CF BL

**NO.:LMX917**  
Material: zinc alloy

SS CF BL

**NO.:LMX916**  
Material: Stainless steel

MBL CF PVD IP

**NO.:918-Z**  
Material: zinc alloy

SS IP BL PVD CF AB NBL

**NO.:LMX913**  
Material: zinc alloy

SS IP BL AB CF

**NO.:LMX910** Door Stopper  
Material: zinc alloy

SS IP BL AB CF

**NO.:LMX911** Door Stopper  
Material: zinc alloy

SS CF IP BL AB LG

**NO.:LMX912B** Door Stopper  
Material: zinc alloy

**DOOR HARDWARE ACCESSORIES**

Min Thickness Of Door 40mm  
Tolerance Of Front and Back -1.5mm~+1.5mm  
Tolerance Of Left and Right -3mm~+3mm  
Max Weight Of Door 70kg  
Angle of open and close 110°  
Size 1000x2400mm

**NO.:LHX953** Up and Down of Door Axis Hinge

BL+BL SN+BL

**NO.:941A** Anti-theft Chain  
Material: Stainless steel

SN

**NO.:940A** Concealed Bolt  
Measurement: 6、8、10、12寸  
Material: Stainless steel

**LEADING**

ADD:No. 659 Dingxiang Road, Binhai Industry Zone,Wenzhou, Zhejiang Province, China

**+86 17357708778**

<https://www.cnlaidi.com/>