

2 / COAT & CLOTHING HOOKS



L232
 Color: Alumina
 Material: Aluminium Alloy
 Applied to: Coat & Clothing

C: 3J, 4J, 5J, 6J, 7J, 8J
 L: 186, 254, 322, 390, 458, 526
 H: 46.5, 46.5, 46.5, 46.5, 46.5, 46.5
 D: 38, 38, 38, 38, 38, 38

L234
 Color: Alumina
 Material: Aluminium Alloy
 Applied to: Coat & Clothing

C: 3J, 4J, 5J, 6J, 7J, 8J
 L: 186, 254, 322, 390, 458, 526
 H: 44, 44, 44, 44, 44, 44
 D: 38, 38, 38, 38, 38, 38

L237
 Color: Alumina
 Material: Aluminium Alloy
 Applied to: Coat & Clothing

C: 3J, 4J, 5J, 6J, 7J, 8J
 L: 270, 370, 470, 570, 670, 770
 H: 47, 47, 47, 47, 47, 47
 D: 38, 38, 38, 38, 38, 38

L238
 Color: Alumina
 Material: Aluminium Alloy
 Applied to: Coat & Clothing

C: 3J, 4J, 5J, 6J, 7J, 8J
 L: 270, 370, 470, 570, 670, 770
 H: 58.7, 58.7, 58.7, 58.7, 58.7, 58.7
 D: 38, 38, 38, 38, 38, 38



Door Lock Handles

3 DOOR LOCK HANDLE

IP RG BL

NO.:X072

Material: zinc alloy

Door Thickness: 38-55mm

132

52

MBL+DB MBL SG+LG

NO.:X176

Material: zinc alloy

Door Thickness: 38-55mm

145

52

NBL CF IP

NO.:X189

Material: zinc alloy

Door Thickness: 38-55mm

137

52

NBL IP BL

NO.:X073

Material: zinc alloy

Door Thickness: 38-55mm

134

52

IP CF BL

NO.:X069

Material: zinc alloy

Door Thickness: 38-55mm

130

52

IP+BS IP+BS SN+BL

NO.:X003

Material: zinc alloy

Door Thickness: 38-55mm

155

52

NBL+OR BL+BL IP+BS

NO.:X171

Material: zinc alloy

Door Thickness: 38-55mm

150

52

TWG BL

NO.:X051

Material: zinc alloy

Door Thickness: 38-55mm

128

52

NBL IP BL

NO.:X043

Material: zinc alloy

Door Thickness: 38-55mm

135

52

GP+BL GP+BS IP+BS

NO.:X188

Material: zinc alloy

Door Thickness: 38-55mm

150

52

NBL+BE IP+w BL+W

NO.:X070

Material: zinc alloy

Door Thickness: 38-55mm

133

52

IP CF NBL

NO.:X028

Material: zinc alloy

Door Thickness: 38-55mm

133

52

CF SN BL

NO.:X018

Material: zinc alloy

Door Thickness: 38-55mm

140

52

IP+OA GP+OB BL+W

NO.:X067

Material: zinc alloy

Door Thickness: 38-55mm

132

52

OB OA

NO.:L207 without keys

Material: aluminium alloy

Door Thickness: 38-55mm

130

195

BL IP

NO.:X008B without keys

Material: zinc alloy

Door Thickness: 38-55mm

155

52

Please refer to the actual product for the slot size

BL IP

NO.:X009B without keys

Material: zinc alloy

Door Thickness: 38-55mm

155

52

Please refer to the actual product for the slot size

IP NBL BL

NO.:X041

Material: zinc alloy

Door Thickness: 38-55mm

135

52

Please refer to the actual product for the slot size

SN NBL BL

NO.:X040

Material: zinc alloy

Door Thickness: 38-55mm

132

52

Please refer to the actual product for the slot size

DOOR LOCK HANDLE-(Zinc Alloy Series)

CF NBL AB

NO.:X064

Material: zinc alloy

Door Thickness: 38-55mm

CP+W CP+BL

NO.:X007

Material: zinc alloy

Door Thickness: 38-55mm

NBL IP

NO.:X055

Material: zinc alloy

Door Thickness: 38-55mm

CF GP BL

NO.:X050

Material: zinc alloy

Door Thickness: 38-55mm

CF IP BL

NO.:X077

Material: zinc alloy

Door Thickness: 38-55mm

OB BR

NO.:L207

Material: aluminium alloy

Door Thickness: 38-55mm

GP+BL BL+M BL+W

NO.:X063

Material: zinc alloy

Door Thickness: 38-55mm

BL GP IP

NO.:X042

Material: zinc alloy

Door Thickness: 38-55mm

NBL+BE IP+W

NO.:X075

Material: zinc alloy

Door Thickness: 38-55mm

DOOR LOCK HANDLE-(Zinc Alloy Series)

NBL IP

NO.:X074

Material: zinc alloy

Door Thickness: 38-55mm

BL AB

NO.:X032

Material: zinc alloy

Door Thickness: 38-55mm

SN IP

NO.:X022

Material: zinc alloy

Door Thickness: 38-55mm

CF BL

NO.:X019

Material: zinc alloy

Door Thickness: 38-55mm

PVD IP

NO.:X015

Material: zinc alloy

Door Thickness: 38-55mm

IP SN BL

NO.:X034

Material: zinc alloy

Door Thickness: 38-55mm

NBL BL

NO.:X023

Material: zinc alloy

Door Thickness: 38-55mm

AB BL

NO.:X020

Material: zinc alloy

Door Thickness: 38-55mm

IP BL

NO.:X016

Material: zinc alloy

Door Thickness: 38-55mm


PVD+BL BL+WH

NO.:X013

Material: zinc alloy

Door Thickness: 38-55mm

DOOR LOCK HANDLE-(Zinc Alloy Series)





BL PVD

NO.:X011

Material: zinc alloy

Door Thickness: 38-55mm





CF BL

NO.:X005

Material: zinc alloy

Door Thickness: 38-55mm




BSN IP MBL


NO.:X033

Material: zinc alloy

Door Thickness: 38-55mm



DOOR LOCK HANDLE-(Zinc Alloy Series)





MBL BG IP

NO.:X039

Material: zinc alloy

Door Thickness: 38-55mm






CF AB

NO.:X002

Material: zinc alloy

Door Thickness: 38-55mm






CP+White Crystal BL+White Crystal

NO.:X001

Material: zinc alloy

Door Thickness: 38-55mm






CF MBL IP

NO.:X057

Material: zinc alloy

Door Thickness: 38-55mm





MBL IP BG CF

NO.:X037

Material: zinc alloy

Door Thickness: 38-55mm




IP+W BL+GP

NO.:X071

Material: zinc alloy

Door Thickness: 38-55mm





AB CF

NO.:X021

Material: zinc alloy

Door Thickness: 38-55mm






CF MBL IP

NO.:X060

Material: zinc alloy

Door Thickness: 38-55mm





MBL PVD CP

NO.:X062

Material: zinc alloy

Door Thickness: 38-55mm





BG BL

NO.:X026

Material: zinc alloy

Door Thickness: 38-55mm






IP MBL

NO.:X047

Material: zinc alloy

Door Thickness: 38-55mm






MBL IP PVD

NO.:X078

Material: zinc alloy

Door Thickness: 38-55mm






IP+Brown Leather MBL+BL Leather

NO.:X082

Material: zinc alloy+leather

Door Thickness: 38-55mm





IP MBL

NO.:301-X008B

Material: zinc alloy

Door Thickness: 38-55mm





IP MBL

NO.:303-009B

Material: zinc alloy

Door Thickness: 38-55mm






IP MBL SN

NO.:X086

Material: zinc alloy

Door Thickness: 38-55mm





MBL PVD IP

NO.:X087

Material: zinc alloy

Door Thickness: 38-55mm



DOOR LOCK HANDLE-(Zinc Alloy Series)

CP+BSN PVD+MBL CP+MBL

NO.:X089
Material: zinc alloy
Door Thickness: 38-55mm

BSN MBL PVD

NO.:X109
Material: zinc alloy
Door Thickness: 38-55mm

IP AB MBL PVD

NO.:L226
Material: zinc alloy+aluminium alloy
Door Thickness: 38-55mm

DOOR LOCK HANDLE-(Zinc Alloy Series)

IP MBL PVD

NO.:X411
Material: zinc alloy
Door Thickness: 38-55mm

MBL IP PVD

NO.:X119
Material: zinc alloy
Door Thickness: 38-55mm

IP MBL

NO.:X112
Material: zinc alloy
Door Thickness: 38-55mm

BSN MBL

NO.:X018
Material: zinc alloy
Door Thickness: 38-55mm

PVD AB CP

NO.:X060
Material: zinc alloy
Door Thickness: 38-55mm

IP MBL CF

NO.:X125
Material: zinc alloy
Door Thickness: 38-55mm

MBL+BL Leather IP+Brown Leather

NO.:X143
Material: zinc alloy+leather
Door Thickness: 38-55mm

MBL ORB BSN

NO.:X060
Material: zinc alloy
Door Thickness: 38-55mm

IP SN BL

NO.:X045
Material: zinc alloy
Door Thickness: 38-55mm

PVD IP MBL

NO.:X145
Material: zinc alloy
Door Thickness: 38-55mm

PVD+BOX CP+BOX MBL+BOX

NO.:L160
Material: zinc alloy+aluminium alloy
Door Thickness: 38-55mm

BL+IP

NO.:X010
Material: zinc alloy
Door Thickness: 38-55mm

SN AB CF BL

NO.:LSX901
Material: Zinc alloy
Door Thickness: 38-55mm

PVD+RED CP+RED MBL+RED

NO.:L160
Material: zinc alloy
Door Thickness: 38-55mm

PVD IP MBL

NO.:X167
Material: zinc alloy
Door Thickness: 38-55mm


SN AB CF BL

NO.:LSX900
Material: Zinc alloy
Door Thickness: 38-55mm

IP BL

NO.:904
Material: Zinc alloy
Door Thickness: 38-55mm

DOOR LOCK HANDLE-(Zinc Alloy Series)




BL IP PVD

NO.:904-B

Material: Zinc alloy

Door Thickness: 38-55mm





BL AB PVD

NO.:904-A

Material: Zinc alloy

Door Thickness: 38-55mm





AB CF

NO.:520-X021

Material: zinc alloy

Door Thickness: 38-55mm



DOOR LOCK HANDLE-(Zinc Alloy Series)




CF BG

NO.:527-X064

Material: zinc alloy

Door Thickness: 38-55mm





BG CF IP

NO.:526-X028

Material: zinc alloy

Door Thickness: 38-55mm





BG BB SG

NO.:542-X189

Material: zinc alloy

Door Thickness: 38-55mm

PVD+W IP+W BL+W

NO.:528-X006

Material: zinc alloy

Door Thickness: 38-55mm





BG BL

NO.:528-X073

Material: zinc alloy

Door Thickness: 38-55mm





BL PVD

NO.:523-X078

Material: zinc alloy

Door Thickness: 38-55mm





SN BL

NO.:522-X018

Material: zinc alloy

Door Thickness: 38-55mm




CF SN BL

NO.:LSX930


Material: zinc alloy




CF SN BL

NO.:LSX931

Material: zinc alloy






BG IP

NO.:528-X074

Material: zinc alloy

Door Thickness: 38-55mm





PVD IP

NO.:525-X015

Material: zinc alloy


Door Thickness: 38-55mm




BL IP SN

NO.:936-X108



Material: zinc alloy

BL SY

NO.:GMT-501

Material: iron






PVD BL

NO.:523-X011

Material: zinc alloy

Door Thickness: 38-55mm





CF BL


NO.:528-X019

Material: zinc alloy

Door Thickness: 38-55mm



4 / DOOR LOCK BODY



BS IP MBL
NO.:7255

BS CF
NO.:7250

BS MBL
NO.:7255 Magnetic TWO Tongues

BS
NO.:7255 Magnetic One Tongue


BS
NO.:5853 Magnetic One Tongue

BS
NO.:5845

BS
NO.:5045 Magnetic One Tongue

BS
NO.:5045 Magnetic TWO Tongues


DOOR LOCK BODY




NO.:5045 Anti-Insertion Style




NO.:5045 Europe Style




NO.:5845




NO.:5845 With Bearing without ball with one ball with two balls




NO.:5045 Silent Style




NO.:5045




NO.:5850 Magnetic TWO Tongues




NO.:5850 Silent Style




NO.:5050 Anti-Insertion Style




NO.:5845 Magnetic TWO Tongues



NO.:5850 Anti-Insertion Silent Brass Style




NO.:5850 With One Tongue



NO.:5845 Anti-Insertion Style Brass Plastic




NO.:5845 Europe Style




NO.:5850




NO.:6850 Europe Silent Style




NO.:5845 Magnetic One Tongue




NO.:5845 Silent Style




NO.:7250 Magnetic One Tongue




NO.:7250 Magnetic TWO Tongues




NO.:7250 Anti-Insertion Silent Style




NO.:7250




NO.:8545 Magnetic TWO Tongues




NO.:8545-1




NO.:7250 Fireproof Style




NO.:7255 Magnetic One Tongue




NO.:8545-2




NO.:8545-3



NO.:7255 Magnetic TWO Tongues




NO.:7255 Europe Silent Style




NO.:8550 Anti-Insertion Silent Brass Style




NO.:8550




NO.:7255 Anti-Insertion Silent Style




NO.:7255 Fireproof Style




NO.:4225 PVC steel Passage Style




NO.:4230 PVC steel Passage Style




NO.:7255




NO.:7260 Fireproof Style



NO.:4235 PVC steel Passage Style



NO.:7025 PVC steel Passage Style




NO.:7030 PVC steel Passage Style



NO.:7035 PVC steel Passage Style



5 / DOOR LOCK CYLINDER




NO.:8520 Passage Style




NO.:8530 Passage Style




NO.:Brass/Aluminium Coat Brass Core Cylinder
Size: 50mm 60mm 70mm 80mm 90mm




NO.:Brass Cylinder
Size: 50mm 60mm 70mm 80mm 90mm



NO.:8535 Passage Style




NO.:8550 Magnetic Style




NO.:Zinc Coat Brass Core
Size: 50mm 60mm 70mm 80mm 90mm



NO.:Aluminium Coat Brass Core
Size: 50mm 60mm 70mm 80mm 90mm




NO.:8553 Magnetic Style




NO.:60



NO.:6inch H Type Hydraulic Door Hinge
Material: Aluminium alloy



NO.:5inch E Type Hydraulic Door Hinge
Material: Aluminium alloy



NO.:60




NO.:5745
Stainless Steel



NO.:3D Adjustable Door Hinge (Left or Right)
Material: zinc alloy




NO.:6 inch Flag Type Hydraulic Door Hinge (Left or Right)
Material: Aluminium alloy



SS CF AB IP BL NBL

NO.:5inch Butt Door Hinge
Material: Stainless steel


Technical drawing showing dimensions: 127, 59, 24, 79, 101, 26.5, 7.5, 14, 3.



SS CF AB IP BL NBL

NO.:4inch Butt Door Hinge
Material: Stainless steel

Technical drawing showing dimensions: 107, 59, 24, 79, 101, 26.5, 7.5, 14, 3.



SS CF AB IP BL NBL

NO.:5inch Flat Door Hinge
Material: Stainless steel

Technical drawing showing dimensions: 145, 76, 30, 76, 127, 6.5, 7.5, 14, 3.



SS CF AB IP LG NBL

NO.:4inch Flat Door Hinge
Material: Stainless steel

Technical drawing showing dimensions: 120, 76, 30, 76, 101, 6.5, 7.5, 14, 3.



Gold SY BL AB

NO.:Concealed Door Hinge
Material: aluminium



NBL BCF IP BL

NO.:5inch Door Hinge
Material: brass

Technical drawing showing dimensions: 145, 76, 30, 76, 127, 6.5, 7.5, 14, 3.



NBL BCF IP BL

NO.:4inch Door Hinge
Material: brass

Technical drawing showing dimensions: 120, 76, 30, 76, 101, 6.5, 7.5, 14, 3.





NO.:LHX950
Material: zinc alloy
Color: BL/SS
Max.:20kg

Technical drawing showing dimensions: 137, 155, 10, 11.7, 21.



NO.:LHX951
Material: zinc alloy
Color: BL/SS/LG
Max.:40kg

Technical drawing showing dimensions: 138, 160, 10, 17.5, 28.


NO.:LHX952-G
Material: zinc alloy
Color: LG/BL/ IV/CG
Max.:30kg

Technical drawing showing dimensions: 12.32, 81.2, 21.2, 30, 30, 113.








CP IP MBL

No.:952-L 3D Adjustable Concealed Door Hinges
Material: zinc alloy
Max.:30kg



PVD AB CF

No.:952-L 3D Adjustable Concealed Door Hinges
Material: zinc alloy
Max.:30kg



LEADING

ADD:No. 659 Dingxiang Road, Binhai Industry Zone,Wenzhou, Zhejiang Province, China

+86 17357708778

<https://www.cnlaidi.com/>