



## SMART-330-HMS / INSPECTION MACHINE WITH INLINE SHEETER



*Reduce Mistakes Through  
Workflow Automation*



### BACK-SIDE NUMBERING


Compatible to install most major brand inkjet systems for back-side numbering after inspection on the liner. Optionally add a second webguide after numbering and prior to slitting for ultimate precision

### FRONT-SIDE NUMBERING

Compatible to install most major brand inkjet systems for front-side numbering prior to inspection



*Increase  
productivity  
through  
automation*



### SINGLE LAYER FILMS

Suitable to rewind thin films with optional Core-Lock differential rewind shafts. Slip threshold can be controlled from the touchscreen user panel. Lay-on rollers avoid air-bubbles during rewinding



### SLITTING OPTIONS

Upgrade to an automatically positioned shear slitting system controlled from the User-interface to reduce set up times. Slit more materials with razor slitting or opt for crush slitting.

*JDF/JMF  
Use Rhyguan's digital  
platform to receive JDF job data  
from your MIS/ERP system to  
automate settings and  
automatically pass-on JMF  
management information*



### REWINDING OPTIONS

A range of options allow thin films to be rewound well. Passive and active solutions to remove static electricity. A lay-on roller to avoid air-bubbles to build up. Upgrade to Core-lock differential rewind shaft and control the slip threshold from the HMI.

SMART-330-HMS	OPTION WIDTH 450MM/520MM		
	330	450	520
Min Paper Path	7m	7m	7.5m
Max Paper Path	12.5	12.5	13
Total Motor Power	7KW	10KW	14KW
Dimension	2800x1200x1500	2800x1325x1500	3000x1500x1600
Weight	1500KGS	1900KGS	2400KGS

\* May vary depending on selected options&configurations